AIRE GLOBAL

Job number
JHT2500138
Version
1.1

PRINT READY ARTWORK

+44 (0) 1133 501 201 hello@aireglobal.com www.aireglobal.com
The Fold, 28 Dock Street, Leeds, LS10 1JF, England

Manager SARAH MOHAMED

Specialist MK

Date created
21-MAY-2025

Date updated
-

Client
HOLLAND_AND_BARRETT

Project number
PHT2400104

Project name
AROMATHERAPY REPRO ONLY

Bulk Supplier
AMPHORA

Job title
MIAROMA EUCALYPTUS OIL 10ML - CARTON

Variant

Material reference
HB-77671

Other reference
XXXX

PRINTER PLEASE NOTE

Print vendors are expected to achieve and maintain a delta e tolerance of <2 and visually verify all special colours under controlled lighting (D50). Colour consistency across the width of substrate is to be maintained throughout entire production run. Print samples are to be taken at regular intervals during all productions runs to ensure quality checks are completed.

Pantone colours
Match spectrally to digital Pantone+ library

Brand colours
Match spectrally to CXF data supplied

Image/process elements
Match to GMG profiled proof supplied

Delta e formula
Delta E2000

Tolerance
Delta E <2.0

Colour space
Cielab

Illuminant
D50

Filter
None

White base
Absolute

Observer angle
2°

Recommended device
X-rite exact

Xrga
Yes

Print vendor
MRP

Print process
OFFSET LITHO

Material
FOLDING_CARTON_WHITE

Colour profile
39L

Technical Drawing reference
10ML 144.1X169.4MM

Technical Drawing dimensions
169.4 x 144.1MM

Barcode type
EAN 13

Barcode number
5059604776717

Barcode magnification
80%

Barcode BWR (microns)
0

Barcode type
N/A

Barcode number
N/A

Barcode magnification
N/A

Barcode BWR (microns)
N/A

Barcode type
N/A

Barcode number
N/A

Barcode magnification
N/A

Barcode BWR (microns)
N/A

Colour information

Technical drawing Dimensions

01 BLACK
02 PANTONE 485 C
03 PANTONE 5507 C
04 MATT VARNISH

Holland &Barrett



Matt VarnishScaled @ 50%



CONTRACT PROOF SIGN OFF

- [ ] Correct profile has been used
- [ ] Proof has been checked against target / master
- [ ] Proof sense check actioned
- [ ] Verified with green tick
- [ ] Proof is clear of banding

Colour specialist signature

Date (DD-Mmm-YYYY)

No specific area given on the cutter for the best before area. Please confirm ok as placed.