

Material Safety Data Sheet

EU Regulation: 2020/878

1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	YLANG YLANG 3, ESSENTIAL OIL				
BIOLOGICAL DEFINITION	CANANGA ODORATA FLOWER OIL IS THE THIRD STAGE FRACTION OBTAINED BY THE DISTILLATION OF YLANG YLANG FLOWERS, CANANGA ODORATA, ANONACEAE.				
INCI NAME	Cananga Odorata Flower Oil				
SYNONYMS & TRADE NAMES	-				
INTERNAL PRODUCT CODE	K0498				
CAS-No	83863-30-3 / 8006-81-3 / 68606-83-7	EC No.	281-092-1	EINECS No.	281-092-1
1.2 Details of the supplier of the safety dat	A SHEET				
COMPANY ADDRESS O&3 Unit 2, Athelstan Business Park, Hanwell Lane, Hutton Conyers, Ripon, HG4 5BF, England.					
EMAIL	Technicalcrew@Oand3.com				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DAT	A SHEET				
EMERGENCY CONTACTS	(07968 200167)				



SECTION 2: HAZARDS IDENTIFICATION			
2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.		
CLASSIFICATION OF THE SUBSTANCE OR MIXTURE CLASSIFICATION (EU1272/2008)	Physical hazards: Not classified Health hazards: Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Environmental hazards: Aguatic Chronic 2 - H411		
2.2 LABEL ELEMENTS	Label in accordance with Regulation (EC) No 1272/2008.		
GHS LABEL	GHS07 GHS08 GHS09		
Signal Word	Danger		
Contains	BETA CARYOPHYLLENE, BENZYL SALICYLATE, LINALOOL, GERANYL ACETATE, FARNSEOL, ISOEUGENOL		
HAZARDS STATEMENT	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects.		
PRECAUTIONARY STATEMENTS	P261 AVOID BREATHING VAPOUR/ SPRAY. P264 WASH CONTAMINATED SKIN THOROUGHLY AFTER HANDLING. P273 AVOID RELEASE TO THE ENVIRONMENT. P301+P310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/ DOCTOR. P302+P352 IF ON SKIN: WASH WITH PLENTY OF WATER. P331 DO NOT INDUCE VOMITING. P501 DISPOSE OF CONTENTS/ CONTAINER IN ACCORDANCE WITH NATIONAL REGULATIONS.		
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P 272 CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE. P 280 WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION. P 321 SPECIFIC TREATMENT (SEE MEDICAL ADVICE ON THIS LABEL). P 332+P 313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ ATTENTION. P 333+P 313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ ATTENTION. P 362+P 364 TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE. P 391 COLLECT SPILLAGE. P 405 STORE LOCKED UP.		
	Section 16 (Other Information): Risk & Safety phrases in full.		
2.3 OTHER HAZARDS			
Adverse Physio-Chemical properties	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION.		
Adverse effects on human health	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.		
PBT OR VPVB ACCORDING TO ANNEX XIII	NO ADDITIONAL DATA AVAILABLE.		
SECTION 3: COMPOSITION OF INGREDIEN	TS		
3.1 Substances	10-15% BETA CARYOPHYLLENE CAS NO: 7-44-5 EC NO: 201-746-1 CLASSIFICATION (EC 1272/2008): M FACTOR (ACUTE) = 1 M FACTOR (CHRONIC) = 1 SKIN IRRIT. 2 - H315, SKIN SENS. 1B - H317, ASP. TOX. 1 - H304, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410 5-10% Benzyl Benzoate CAS NO: 120-51-4 EC NO: 204-402-9 CLASSIFICATION (EC 1272/2008): M FACTOR (ACUTE) = 1 ACUTE TOX. 4 - H302, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 2 - H411		
	5 - 10% BENZYL SALICYLATE CAS No: 118-58-1 EC No: 204-262-9 CLASSIFICATION (EC 1272/2008): EYE IRRIT. 2 - H319, SKIN SENS. 1B - H317, AQUATIC CHRONIC 3 - H412 time the client received this information. Please be aware that detail can change and we encourage clients to update their records		



5-10% LINALOOL CAS No: 78-70-6 EC No: 201-134-4

CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, SKIN SENS. 1 - H317

5 - 10% BENZYL ACETATE CAS No: 140-11-4 EC No: 205-399-7

CLASSIFICATION (EC 1272/2008): AQUATIC CHRONIC 3 - H412

1 - 5% Geranyl Acetate CAS No: 105-87-3 EC No: 203-341-5 Classification (EC 1272/2008): Skin Irrit. 2 - H315, Skin Sens. 1B - H317, Aquatic Chronic 3 -

H412

1-5% FARNSEOL CAS No: 4602-84-0 EC No: 225-004-1

Classification (EC 1272/2008): M factor (Acute) = 1 M factor (Chronic) = 1

SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410

1 - 5% P-CRESYL METHYL ETHER CAS No: 104-93-8 EC No: 203-253-7 CLASSIFICATION (EC 1272/2008): ACUTE TOX. 4 - H302, SKIN IRRIT. 2 - H315, REPR. 2 - H361

≤ 1.0% ISOEUGENOL CAS No: 97-54-1 EC No: 202-590-7

Classification (EC 1272/2008): Acute Tox. 4 - H302, Acute Tox. 4 - H312, Skin Irrit. 2 - H315,

EYE IRRIT. 2 - H319, SKIN SENS. 1 - H317, STOT SE 3 - H335

≤ 1.0% GERANIOL CAS No: 106-24-1 EC No: 203-377-1

CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315, EYE DAM. 1 - H318, SKIN SENS. 1 - H317

≤ 1.0% EUGENOL CAS No: 97-53-0 EC No: 202-589-1

CLASSIFICATION (EC 1272/2008): EYE IRRIT. 2 - H319, SKIN SENS. 1 - H317, ASP. TOX. 1 - H304

SECTION 4: FIRST AID MEASURES	
4.1	
DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
Ingestion	Do not induce vomiting. Immediately rinse mouth and provide fresh air. Get medical advice/attention.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR UP TO 15 MINUTES. REMOVE ANY CONTACT LENSES AND OPEN EYES WIDE APART. GET MEDICAL ADVICE/ATTENTION. CONTINUE TO RINSE.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	No additional Data Available.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY.



i.1 Extinguishing material	SUITABLE EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL, FOAM. UNSUITABLE EXTINGUISHING MEDIA: DO NOT USE WATER JET AS AN EXTINGUISHER, AS THIS MAY SCATTER AND SPREAD FIRE		
.2		SMOKE, EXPOSURE TO DECOMPOSITION PRODUCTS MAY BE HAZARDOUS TO	
PECIAL HAZARDS ARISING FROM THE SUBSTANCE OR	HEALTH. DO NOT BREATHE IN SMOKE.		
IXTURE	THERMAL DECOMPOSITION OR COMBUSTION PRODUCTS MAY INCLUDE THE FOLLOWING SUBSTANCES:		
	CARBON DIOXIDE (CO2), CARBON MONOXIDE (CO), OTHER TOXIC GASES.		
	CONTAINERS CLOSE TO FIRE SHOULD BE REMOVED OR COOLED WITH WATER.		
.3	AVOID INHALATION OF GENERATED FUMES OR VAPOURS. WEAR SELF-CONTAINED BREATHING APPARATUS AND APPROPRIATE		
ADVICE FOR FIRE-FIGHTERS	PROTECTIVE CLOTHING.		
SECTION 6: Accidental Release Measur	NEC .		
SECTION 6: ACCIDENTAL RELEASE MEASUR	(E)		
5.1		N SECTION 8 OF THIS SAFETY DATA SHEET. HANDLE THE PRODUCT USING	
PERSONAL PRECAUTIONS	PROTECTIVE GLOVES RESISTANT TO THE CHEM MAINTAIN ADEQUATE VENTILATION IN THE WI	ICALS EXPOSED. AVOID CONTACT WITH SKIN AND INHALATION OF ITS VAPOURS. DRKING AREA AFTER SPILLING.	
.2	DO NOT DISCHARGE INTO DRAINS, WATER CO	DURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY	
NVIRONMENTAL PRECAUTIONS	GUIDELINES.		
5.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING JP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS, CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.		
5.4	REFER & CONSIDER SECTION 7, 8.		
REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTION 13.		
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY NCOMPATIBILITIES	SMOKE WHEN USING THIS PRODUCT. KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.		
7.3	NO DATA.		
	110 BAIA		
SECTION 8: EXPOSURE CONTROLS &			
SECTION 8: EXPOSURE CONTROLS &	BENZYL SALICYLATE (CAS: 118-58-1)		
SECTION 8: EXPOSURE CONTROLS &	DNEL		
SECTION 8: EXPOSURE CONTROLS &	DNEL WORKERS - INHALATION;	Long term systemic effects: 3.17 mg/m³	
ECTION 8: EXPOSURE CONTROLS &	DNEL WORKERS - INHALATION; WORKERS - DERMAL;	LONG TERM SYSTEMIC EFFECTS: 0.9 BW/DAY, MG/KG	
ECTION 8: EXPOSURE CONTROLS &	DNEL WORKERS - INHALATION; WORKERS - DERMAL; GENERAL POPULATION - INHALATION;	Long term systemic effects: 0.9 bw/day, mg/kg Long term systemic effects: 0.78 mg/m³	
ECTION 8: EXPOSURE CONTROLS &	DNEL WORKERS - INHALATION; WORKERS - DERMAL; GENERAL POPULATION - INHALATION; GENERAL POPULATION - DERMAL;	Long term systemic effects: 0.9 bw/day, mg/kg Long term systemic effects: 0.78 mg/m³ Long term systemic effects: 0.45 bw/day, mg/kg	
ECTION 8: EXPOSURE CONTROLS &	DNEL WORKERS - INHALATION; WORKERS - DERMAL; GENERAL POPULATION - INHALATION; GENERAL POPULATION - DERMAL; GENERAL POPULATION - ORAL;	Long term systemic effects: 0.9 bw/day, mg/kg Long term systemic effects: 0.78 mg/m³	
ECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION	DNEL WORKERS - INHALATION; WORKERS - DERMAL; GENERAL POPULATION - INHALATION; GENERAL POPULATION - DERMAL;	Long term systemic effects: 0.9 bw/day, mg/kg Long term systemic effects: 0.78 mg/m³ Long term systemic effects: 0.45 bw/day, mg/kg	
ECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION	DNEL WORKERS - INHALATION; WORKERS - DERMAL; GENERAL POPULATION - INHALATION; GENERAL POPULATION - DERMAL; GENERAL POPULATION - ORAL; PNEC	Long term systemic effects: 0.9 bw/day, mg/kg Long term systemic effects: 0.78 mg/m ³ Long term systemic effects: 0.45 bw/day, mg/kg Long term systemic effects: 0.45 mg/kg, bw/day	
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION B.1 CONTROL PARAMETERS	DNEL WORKERS - INHALATION; WORKERS - DERMAL; GENERAL POPULATION - INHALATION; GENERAL POPULATION - DERMAL; GENERAL POPULATION - ORAL; PNEC - FRESH WATER;	Long term systemic effects: 0.9 bw/day, mg/kg Long term systemic effects: 0.78 mg/m³ Long term systemic effects: 0.45 bw/day, mg/kg Long term systemic effects: 0.45 mg/kg, bw/day Short term 0.001 mg/l	
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION	DNEL WORKERS - INHALATION; WORKERS - DERMAL; GENERAL POPULATION - INHALATION; GENERAL POPULATION - DERMAL; GENERAL POPULATION - ORAL; PNEC - FRESH WATER; - FRESH WATER; - MARINE WATER; - STP;	LONG TERM SYSTEMIC EFFECTS: 0.9 BW/DAY, MG/KG LONG TERM SYSTEMIC EFFECTS: 0.78 MG/M³ LONG TERM SYSTEMIC EFFECTS: 0.45 BW/DAY, MG/KG LONG TERM SYSTEMIC EFFECTS: 0.45 MG/KG, BW/DAY SHORT TERM 0.001 MG/L INTERMITTENT RELEASE, 0.01 MG/L SHORT TERM 0 MG/L SHORT TERM 10 MG/L	
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION	DNEL WORKERS - INHALATION; WORKERS - DERMAL; GENERAL POPULATION - INHALATION; GENERAL POPULATION - DERMAL; GENERAL POPULATION - ORAL; PNEC - FRESH WATER; - FRESH WATER; - MARINE WATER; - STP; - SEDIMENT (FRESHWATER);	Long term systemic effects: 0.9 bw/day, mg/kg Long term systemic effects: 0.78 mg/m³ Long term systemic effects: 0.45 bw/day, mg/kg Long term systemic effects: 0.45 mg/kg, bw/day Short term 0.001 mg/l Intermittent release, 0.01 mg/l Short term 0 mg/l Short term 10 mg/l Short term 10.583 mg/kg	
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION	DNEL WORKERS - INHALATION; WORKERS - DERMAL; GENERAL POPULATION - INHALATION; GENERAL POPULATION - DERMAL; GENERAL POPULATION - ORAL; PNEC - FRESH WATER; - FRESH WATER; - MARINE WATER; - STP;	LONG TERM SYSTEMIC EFFECTS: 0.9 BW/DAY, MG/KG LONG TERM SYSTEMIC EFFECTS: 0.78 MG/M³ LONG TERM SYSTEMIC EFFECTS: 0.45 BW/DAY, MG/KG LONG TERM SYSTEMIC EFFECTS: 0.45 MG/KG, BW/DAY SHORT TERM 0.001 MG/L INTERMITTENT RELEASE, 0.01 MG/L SHORT TERM 0 MG/L SHORT TERM 10 MG/L	



LINALOOL (CAS: 78-70-6)

DNEL

WORKERS - DERMAL;

WORKERS - INHALATION;

WORKERS - INHALATION;

WORKERS - DERMAL;

WORKERS - DERMAL;

LONG TERM SYSTEMIC EFFECTS: 2.5 MG/KG

WORKERS - INHALATION;

LONG TERM SYSTEMIC EFFECTS: 2.8 MG/M³

GENERAL POPULATION - ORAL;

GENERAL POPULATION - DERMAL;

SHORT TERM SYSTEMIC EFFECTS: 2.5 MG/KG

GENERAL POPULATION - DERMAL;

SHORT TERM SYSTEMIC EFFECTS: 2.5 MG/KG

GENERAL POPULATION - INHALATION; SHORT TERM SYSTEMIC EFFECTS: 4.1 MG/M³

GENERAL POPULATION - INHALATION; SHOW TEST STEMIC EFFECTS: 0.2 MG/KG
GENERAL POPULATION - DERMAL;
LONG TERM SYSTEMIC EFFECTS: 1.25 MG/KG
GENERAL POPULATION - INHALATION:
LONG TERM SYSTEMIC EFFECTS: 0.7 MG/M³

PNEC

- STP;
- SOIL;
- SOIL;
- SOIL;
- INTERMITENT RELEASE;
- FRESH WATER;
- MARINE WATER;
- SEDIMENT (FRESHWATER);
- SEDIMENT (MARINE WATER);
- SEDIMENT (MARINE WATER);
- SHORT TERM 0.222 MG/KG
- SHORT TERM 0.222 MG/KG

GERANYL ACETATE (CAS: 105-87-3)

DNEL

WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 62.59 MG/M³
WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 35.5 BW/DAY, MG/KG
GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 15.4 MG/M³

GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 17.75 MG/KG, BW/DAY
GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 8.9 MG/KG, BW/DAY

PNEC

- FRESH WATER; SHORT TERM 3.72 MG/L
- FRESH WATER, INTERMITTENT RELEASE; 37.2 MG/L
- MARINE WATER; SHORT TERM 0.372 MG/L
- STP; SHORT TERM 8 MG/L
- SEDIMENT (FRESHWATER); SHORT TERM 0.442 MG/KG
- SOIL; SHORT TERM 0.044 MG/KG
- SOIL; SHORT TERM 0.086 MG/KG

BENZYL ACETATE (CAS: 140-11-4)

DNEL

WORKERS - INHALATION;

WORKERS - INHALATION;

WORKERS - INHALATION;

WORKERS - DERMAL;

WORKERS - DERMAL;

LONG TERM SYSTEMIC EFFECTS: 43.8 MG/M³

LONG TERM SYSTEMIC EFFECTS: 6.25 MG/KG, BW/DAY

WORKERS - DERMAL;

SHORT TERM SYSTEMIC EFFECTS: 12.5 BW/DAY, MG/KG

General Population - Inhalation; Long term systemic effects: $5.5~\text{mg/m}^3$ General Population - Inhalation; Short term systemic effects: $11~\text{mg/m}^3$

GENERAL POPULATION - DERMAL;

GENERAL POPULATION - DERMAL;

GENERAL POPULATION - DERMAL;

GENERAL POPULATION - ORAL;

GENERAL POPULATION - ORAL;

LONG TERM SYSTEMIC EFFECTS: 3.125 MG/KG, BW/DAY

GENERAL POPULATION - ORAL;

SHORT TERM SYSTEMIC EFFECTS: 6.25 MG/KG, BW/DAY

PNEC

- FRESH WATER;
- INTERMITTENT RELEASE,
- MARINE WATER;
- STP;
- SEDIMENT (FRESHWATER);
- SEDIMENT (MARINE WATER);
- SEDIMENT (MARINE WATER);
- SEDIMENT (MARINE WATER);
- SHORT TERM 0.011 MG/KG
- SHORT TERM 0.011 MG/KG

- SOIL; SHORT TERM 0.021 MG/KG

P-CRESYL METHYL ETHER (CAS: 104-93-8)

DNEL

Workers - Inhalation; Long term systemic effects: $2.9~\text{mg/m}^3$

WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 13.9 MG/KG, BW/DAY

General population - Inhalation; Long term systemic effects: $0.7~\text{mg/m}^3$

GENERAL POPULATION - DERMAL; LONG TERM SYSTEMIC EFFECTS: 8.3 BW/DAY, MG/KG
GENERAL POPULATION - ORAL; LONG TERM SYSTEMIC EFFECTS: 0.4 BW/DAY, MG/KG

PNEC

- FRESH WATER; SHORT TERM 0.027 MG/L
- MARINE WATER; SHORT TERM 0.003 MG/L
- STP; SHORT TERM 10 MG/L
- SEDIMENT (FRESHWATER); SHORT TERM 0.862 MG/KG

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.



- SEDIMENT (MARINE WATER):

SHORT TERM 0.086 MG/KG

LONG TERM SYSTEMIC EFFECTS: 161.6 MG/M³ LONG TERM SYSTEMIC EFFECTS: 12.5 MG/KG, BW/DAY

LONG TERM SYSTEMIC EFFECTS: 47.8 MG/M3 LONG TERM SYSTEMIC EFFECTS: 7.5 BW/DAY, MG/KG

LONG TERM SYSTEMIC EFFECTS: 13.75 BW/DAY, MG/KG

LONG TERM SYSTEMIC EFFECTS: 3 BW/DAY, MG/KG

LONG TERM SYSTEMIC EFFECTS: 3 BW/DAY, MG/KG

GERANIOL (CAS: 106-24-1)

DNEL

WORKERS - INHALATION; WORKERS - DERMAL; GENERAL POPULATION - INHALATION; GENERAL POPULATION - DERMAL; GENERAL POPULATION - ORAL;

PNEC

- FRESH WATER; - FRESH WATER: - MARINE WATER; - STP;

- SEDIMENT (FRESHWATER); - SEDIMENT (MARINE WATER); - SOIL:

SHORT TERM 0.011 MG/L INTERMITTENT RELEASE, 0.108 MG/L SHORT TERM 0.001 MG/L SHORT TERM 0.7 MG/L SHORT TERM 0.115 MG/KG SHORT TERM 0.011 MG/KG SHORT TERM 0.017 MG/KG

EUGENOL (CAS: 97-53-0)

DNEL

WORKERS - INHALATION; LONG TERM SYSTEMIC EFFECTS: 21.2 MG/M³ WORKERS - DERMAL; LONG TERM SYSTEMIC EFFECTS: 6 BW/DAY, MG/KG GENERAL POPULATION - INHALATION; LONG TERM SYSTEMIC EFFECTS: 5.22 MG/M³

GENERAL POPULATION - DERMAL; GENERAL POPULATION - ORAL; **PNEC**

- FRESH WATER; - FRESH WATER; - MARINE WATER; - SEDIMENT (FRESHWATER); - SEDIMENT (MARINE WATER); - SOIL;

SHORT TERM 1.13 MG/L INTERMITTENT RELEASE, 11.3 MG/L SHORT TERM 0.113 MG/L SHORT TERM 0.081 MG/KG SHORT TERM 0.008 MG/KG

8.2 **EXPOSURE CONTROLS**





EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.	
	Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive	
	VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR	
	PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING	
RESPIRATORY EQUIPMENT	CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST	
	VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE	
	OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO	
	REFER TO SECTIONS 2 AND 7.	
Hygiene Measures	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. DO	
	not eat, drink or smoke during use. Remove and wash contaminated clothing before re-using.	
Engineering Measures	PROVIDE ADEQUATE VENTILATION.	
SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.	
Personal Protection	ÁVOID INHALATION OF THE PRODUCT. ÁVOID CONTACT WITH SKIN AND EYES.	
OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES, DO NOT INHALE VAPOURS,	
Process Conditions	Ensure area is well ventilated. Avoid vapour inhalation. Safety shower & Eye bath.	
ENVIROMENTAL EXPOSURE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER. ONLY ELIMINATE BY AUTHORISED COMPANIES.	



SECTION 9: PHYSICAL & CHEMICAL PROPERTIES			
9.1 PHYSICAL & CHEMICAL PROPERTIES			
Appearance	LIQUID		
Colour	PALE YELLOW – DARK YELLOW.		
Odour	CHARACTERISTIC.		
RELATIVE DENSITY	APPROX 0.929 @ 20°C		
FLASH POINT (°C)	>88°C		
Refractive Index @ 20 °C	APPROX. 1.505 @ 20°C		
SOLUBILITY IN WATER @ 20 °C	0.013G/LM WATER @25°C		
	MELTING POINT (°C): 15.76		
9.2	BOILING POINT (°C): 125		
OTHER INFORMATION	VAPOUR PRESSURE: 3.04 PA @25°C		
	Auto-ignition temperature (°C): 240.0		
9.2.1 Information with regard to physical hazard classes	NO DATA.		
9.2.2 OTHER SAFETY CHARACTERISTICS	No Data.		
SECTION 10: STABILITY & REACTIVITY			
10.1	Presents no significant reactivity hazards, by itself or in contact with water. Stable under normal		
REACTIVITY	TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE.		
10.2 CHEMICAL STABILITY	Stable under suggested storage conditions ($<15^{\circ}$ C).		
10.3 Possibility of hazardous reactions	NOT EXPECTED UNDER NORMAL CONDITIONS OF USE.		
10.4 CONDITIONS TO AVOID	AVOID HEAT, FLAMES AND OTHER SOURCES OF IGNITION.		
10.5 Incompatible materials	AVOID CONTACT WITH STRONG ACIDS, ALKALIS OR OXIDISING AGENTS.		
	NOT EXPECTED UNDER NORMAL TEMPERATURE CONDITIONS AND RECOMMENDED USE.		
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	Thermal decomposition may release/form oxides of carbon (carbon monoxide, carbon dioxide) and other		
The state of the s	TOXIC GASES.		

SECTION 11: TOXICOLOGICAL INFORMATION		
11.1 TOXICOLOGICAL EFFECTS		
ACUTE TOXICITY	ATE ORAL (MG/KG) 6,410.26	
SKIN IRRITATION	MAY CAUSE SKIN IRRITATION.	
EYE DAMAGE OR IRRITATION	NOT CLASSIFIED	
RESPIRATORY OR SKIN SENSITIVITY	SKIN - MAY CAUSE AN ALLERGIC SKIN REACTION.	
GERM CELL MUTAGENICITY	NOT CLASSIFIED	
CARCINOGENICITY	NOT CLASSIFIED.	



_	NOT CLASSIFIED.
REPRODUCTIVE TOXICITY	
STOT – SINGLE EXPOSURE	NOT CLASSIFIED.
STOT — REPEATED EXPOSURE	NOT CLASSIFIED.
ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
11.2 INFORMATION ON OTHER HAZARDS	NO DATA.
SECTION 12: ECOLOGICAL INFORMATION	
12.1 Toxicity	ACUTE TOXICITY - AQUATIC INVERTEBRATES EL50, 48 HOURS: 10.4 mg/l, DAPHNIA MAGNA ACUTE TOXICITY - MICROORGANISMS EC50, 3 HOURS: 1000 mg/l, ACTIVATED SLUDGE
12.2 PERSISTENCE & DEGRADABILITY	NO DATA
12.3 BIO- ACCUMULATIVE POTENTIAL	PARTITION COEFFICIENT LOG POW: 6.995
12.4 MOBILITY IN SOIL	NO ADDITIONAL DATA AVAILABLE.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	NO ADDITIONAL DATA AVAILABLE.
12.6 ENDOCRINE DISRUPTING PROPERTIES	NO ADDITIONAL DATA AVAILABLE.
12.7 OTHER ADVERSE EFFECTS	NO ADDITIONAL DATA AVAILABLE.
SECTION 13: DISPOSAL INFORMATION	
	DO NOT ALLOW ENTRY INTO DRAINS OR WATERWAYS.
13.1 WASTE TREATMENT METHODS	WASTE: WASTE MANAGEMENT IS CARRIED OUT WITHOUT ENDANGERING HUMAN HEALTH, WITHOUT HARMING THE ENVIRONMENT AND, IN PARTICULAR WITHOUT RISK TO WATER, AIR, SOIL, PLANTS OR ANIMALS. RECYCLE OR DISPOSE OF WASTE IN COMPLIANCE WITH CURRENT LEGISLATION, PREFERABLY VIA A CERTIFIED COLLECTOR OR COMPANY. DO NOT CONTAMINATE THE GROUND OR WATER WITH WASTE. DO NOT DISPOSE OF WASTE INTO THE ENVIRONMENT.
	SOILED PACKAGING: EMPTY CONTAINER COMPLETELY. KEEP LABEL(S) ON CONTAINER. DISPOSE OF VIA A CERTIFIED DISPOSAL CONTRACTOR.

SECTION 14: TRANSPORT INFORMATION	
14.1 TRANSPORT INFORMATION	
	ROAD: 3082
UN NUMBER	RAIL: 3082
	AIR: 3082
14.2 UN SHIPPING NAME	ENVIRONMENTALLY HAZARD SUBSTANCE LIQUID, N.O.S
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID ADR/RID – Class 9 ADR Classification Code – M6 ADR transport category - 3 Hard identification number - 90 Special provisions – 274 335 375 601 Limited Quantifies – 5L

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.



	T =
	EXPECTED QUANTITIES — E1
	EMERGENCY ACTION CODE – •3Z
	IMDG
	IMDG – CLASS 9
	SPECIAL PROVISIONS – 274 335 375 601
	LIMITED QUANTITIES — 5L EXPECTED QUANTITIES — E1
	IMDG EMS – F-A, S-F
	STOWAGE AND HANDLING – CATEGORY A
	1040/1474
	ICAO/IATA ICAO/IATA— CLASS 9
	IATA PROPER SHIPPING NAME - ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S.
	EXPECTED QUANTITIES — E1
	TRANSPORT LABEL:
	I KANSFORT LABEL:
	AIN
	9
	ADD DID De survey and the
14.4	ADR/RID PACKING GROUP: III
PACKING GROUP	IMDG PACKING GROUP: III
	ICAO PACKING GROUP: III
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT.
14.5	ALL VIEW PROPERTY OF THE PROPE
ENVIROMENTAL HAZARDS	
14.6	SEE SECTIONS 6 – 8.
SPECIAL PRECAUTIONS FOR USER	
14.7 TRANSPORT IN PULL ACCORDING TO ANNIES II OF MARROL 72/78 9 THE IRC	
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NOT APPLICABLE.
SECTION 15: REGULATORY INFORMATION	
SECTION 15. REGGEATORT IN ORMATION	
15.1	
PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS &	
LEGISLATION	DECUMENTION (EC) NIG 2020 (979 OF THE FUNDOS
	REGULATION (EC) NO 2020/878 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH
	DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF
EU DIRECTIVES	CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE
	1999/45/EC and repealing council regulation (EEC) No793/93 & commission
	regulation (EC) No 1488/94 as well as council directive 76/769/EEC & commission
	DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009
STATUTORY INSTRUMENTS	No 716).
	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA
Approved Code of Practice	SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	
15.2	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
CHEMICAL SAFETY ASSESSMENT	-
· · · · · · · · · · · · · · · · · · ·	

SECTION 16: OTHER INFORMATION



H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H312 HARMFUL IN CONTACT WITH SKIN. H315 CAUSES SKIN IRRITATION.

HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL

H317 MAY CAUSE AN ALLERGIC SKIN REACTION.

H318 CAUSES SERIOUS EYE DAMAGE.

H226 FLAMMABLE LIQUID AND VAPOUR. H302 HARMFUL IF SWALLOWED.

H319 CAUSES SERIOUS EYE IRRITATION.

H361 SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.

H400 VERY TOXIC TO AQUATIC LIFE.

H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.

ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	International Maritime code for Dangerous Goods.
ADR	Accord European sur le transport des merchandises Dangereuses par Route (European
,	AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	International Carriage of Dangerous Goods by Rail.
ICAO	International Civil Aviation Organization.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	Transport Emergency Card.
STOT	Specific Target Organ Toxicity.

DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 [™] April 2018	Data Launch
OCOTBER 2020	Review
2021	Review
DECEMBER 2022	EU REGULATION CHANGED